MARK SCHEME for the October/November 2010 question paper

for the guidance of teachers

0580 MATHEMATICS

0580/33

Paper 3 (Core), maximum raw mark 104

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	ge 2 Mark Scheme: Teachers' version		Paper
	IGCSE – October/November 2010	0580	33

Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to

soi seen or implied

Qu.	Answers		Mark	Part Marks
1	(a) 10, 9, 5, 5, 1		3	B2 for 4 correct, B1 for 3 correct
	(b) (i) 2 (ii) 2.5		1 2	M1 for evidence of finding mid-value of 20 pieces of data
	(iii) 2.6		3	M1 for evidence of $\sum fx$ then M1dep for $\div 40$
	(c) (i) 81 or 45		2ft	ft their 9 or their 5 M1 for their 9 or their $5 \div 40 \times 360$
	45 or 81 (ii) Correct a	ngles of 81° and 45°	1ft 1ft	Correct or ft 126 – their first angle ft only if add up to 126
2	(a) (i) 18 30 oe (ii) 251 (250	.9)	1 3	M1 for distance ÷ time (any units) and M1 for 55 ÷ 60 oe
	 (b) (i) 1400 (ii) 20.7(2 (iii) 91)	2 1 2	M1 for 9121 ÷ 6.515 B1 for 90.89 or 90.9 or 90.8 or 610 × 0.149 or B1 (indep) for correct rounding to integer if from a decimal
3	(a) (i) Translati	on $\begin{pmatrix} -5\\ 3 \end{pmatrix}$	1, 1	
		n in line $y = 4$, (2, 2.5), 180° or half-	1, 1 1, 1, 1	Line can be labelled on diagram Centre could be labelled on diagram
	(b) (i) Correct r (ii) Correct e factor 4	eflection in <i>y</i> -axis enlargement, (0, 0),	2 2	SC1 for reflection in <i>x</i> -axis SC1 for any enlargement centre (0, 0) or factor 4

© UCLES 2010

Page 3		Mark Scheme: Teachers' version			Syllabus	Paper
		IGCSE – October/November 2010			0580	33
4	(ii) 2 (b) (i) (214 (213.6) 20.6 or (20.55 – 20.56) (0)44 ((0)44.4) 224 (224.4) 335	2 2 1ft 1ft 2	M1 for $75^2 + 200^2$ M1 for tan = $75/200$ or sin = $75/$ their (i) or cos = 200 /their (i) B1 65 – their (a)(ii) if < 65 180 + their (b)(i) B1 for 65 below <i>B</i> or 25 above <i>B</i> , may be on diagram		
5		Accurate perpendicular bisector of AB with arcs Accurate bisector of angle ADC	2 2	SC1 if accurate without arcs or accurate bisector of wrong side with arcs SC1 if accurate without arcs or accurate bisector of wrong angle with arcs		
		I line 2 cm from and parallel to BC	2	SC1 if not ruled		
	(c) Corre	ect region shaded cao	1	Dependent on	at least SC1 in (a)(i	i), (a)(ii) and (b)
6	(a) (i) (ii) (ii)	50 1200	2 1ft	M1 for full m ft their (i) $\times 2^{10}$	ethod for area with 0	correct values
	(b) (i) (i) (ii) (ii) (ii) (ii) (iii) (iii	10.2 23.05	2ft 2ft	ft their (a)(ii) ft their (b)(i) M1 for 23.052 or B1ind for c	(ii) $\times 8.5 \div 1000$ $\times 8.5 \div 1000$ and 3	< 2.26
7	(a) $2d-3$	9	2	SC1 for 9 – 2	d	
	(b) 8.4(0)	2	M1 for their ((a) = 7.8(0)	
	(c) 0.6(0)	1ft	ft their (b) – 7	7.80, only if positiv	e
8	(a) 35.3	art	2	M1 for substi	tuting $r = 7.5$ in for	mula
	(b) $\sqrt{\frac{5A}{\pi}}$		3	M1 for correc	etly multiplying by etly dividing by π etly taking a square	
	(c) 2.76	art cao	2	backwards fro	tuting 4.8 in their (om original formula $r^2 = 5 \times 4.8 \div \pi$	

© UCLES 2010

Page 4		4	Mark Scheme: Teach	Syllabus	Paper		
			IGCSE – October/Nov	GCSE – October/November 2010			33
9	(a)	(a) (i) 8, 3 (ii) 5 points correctly plotted Smooth curve through their 5 points (iii) $3.4 \le x \le 3.6$		1, 1 2ft 1 1ft	P1 for 4 correct	ect points ft ection with <i>x</i> -axis	
	(b)	(ii) 8 5	3, 2, 1.5 3 points correctly plotted 5mooth branch of rectangular hyperbola through 12 points	1, 1, 1 2ft 1	B1 each P1 for 6 or 7	points	
	(c)		$x \le 1.2, 10.6 \le y < 11) \\ \le x < 3, 4.2 \le y \le 4.5)$	1ft 1ft	ft to same accuracy intersections of their two graphs		
10	(a)		- 8 (= 45) 180 – their 45 (= 135)	1 1dep	Alt method $180 \times (8 - 2)$ Then their $1080 \div 8 (= 135)$		
	(b)	(i) 4 (ii) 9		1 1			
	(c)		35.99 to 36.(0) 695 to 696.4	2 3ft	M1 for (12 +	8.485×8.485 $8.485 + 8.485)^2$ prrect collection of a es indicated	area with or
11	(a)	(ii) 1 1 2 2	5 + 8 (= 13) 12, 19 10, 17 7, 9 3, 6 4, 5 3, 2	1 1 1 1 1 1 1			
	(b)	2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 2 1, 1 1, 1	B1 for $2n \pm k$	f or $jn - 1$ ($j \neq 0$)	

© UCLES 2010