## MARK SCHEME for the October/November 2010 question paper

## for the guidance of teachers

# 0580 MATHEMATICS

0580/12

Paper 1 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010		12

#### Abbreviations

cao	correct answer only
cso	correct solution only

dependent dep

follow through after error ft

ignore subsequent working or equivalent isw

oe

SC Special Case

without wrong working WWW

1 2	134		
2		1	
2	512(.00)	1	
3	(a) -7	1	
	<b>(b)</b> (+)6	1ft	ft –1 – their ( <b>a</b> )
4	$1.43 \times 10^9$ final answer	2	<b>B1</b> for answers of $1.43 \times 10^{n}$ ( $n \neq 0$ ) or figs 143 or $1.429() \times 10^{9}$ <b>SC1</b> for answer of $1.42 \times 10^{9}$ or $1.4 \times 10^{9}$
5	$899.5 \leq w < 900.5$	2	<b>B1</b> for 1 correct or <b>SC1</b> for correct but reversed.
6	10 www	2	<b>M1</b> for $15 \div 6$ soi or <b>B1</b> for $\frac{6}{4} = \frac{15}{EF}$ oe or better
7	662.794 to 663.304 final answer	3	M2 for $600 \times 1.034^3$ or M1 for $(600 + 0.034 \times 600) \times 0.034$ or $(600 \times 1.034) \times 0.034$ and M1 dep correct method for the remaining time.
8	(a) $4p(2q+3r)$	2	<b>B1</b> for $p(8q + 12r)$ or $2p(4q + 6r)$ or $4p(aq + br) a$ , b integers or $4(2pq + 3pr)$
	<b>(b)</b> $(p =) \frac{s}{4(2q+3r)}$ oe	1ft	ft if p is a common factor in (a) or in working in (b)
9	(a) 245	1	
	<b>(b)</b> 360	2	<b>M1</b> for $\frac{3}{7} \times 840$ or <b>SC1</b> for answer 480

© UCLES 2010

Page 3		Mark Scheme: Teachers' version IGCSE – October/November 2010		Syllabus	Paper	
		IGCSE – October/No	ovembe	er 2010	0580	12
10	(a) $\frac{15}{43}$ cao final answer		1	percentages as	and (b) are correct	
	<b>(b)</b> $\frac{42}{43}$ ca	o final answer	1			
	(c) 0 or $\frac{0}{4}$	) 3	1			
11	(a) (x=) 35	5	2	<b>B1</b> for angle <i>B</i> . May be marked	DC = 90 soi d on the diagram	
	<b>(b)</b> (y=) 55	5	1ft	ft 90 – their $x$		
12	(a) (i) (x (ii) (x		1 1			
	<b>(b)</b> 3		1			
13	(a) Two st	tage proof	2	or alt $\frac{4}{5} - \frac{2}{7}$ or $\frac{1}{7}$ or $\frac{1}{7}$	$\frac{2 \times 5}{7} \text{ or } \frac{1 \times 7}{5 \times 7} + \frac{2 \times 7}{5 \times 7}$ or $\frac{5}{7} - \frac{1}{5}$ their $\frac{17}{35} \text{ or } \frac{18}{35} + \frac{1}{35}$ oe or $\frac{25 - 7}{35} \text{ oe}$	
	<b>(b)</b> $\frac{6}{35}$ fin	al answer	2	<b>M1</b> for $\frac{1}{3} \times \frac{1}{3}$ If zero <b>SC1</b> for		
14	(a) (i) 1	$\frac{0 \times 8 - 0.5 \times 90}{5}$	1			
	(ii) 7(	(.0) cao	2	<b>B1</b> for 80 (from 5 (denominator)	n 10 × 8) or 45 (fro r) seen	m 0.5 × 90) or
	<b>(b)</b> 5.92 or	r 5.919()	1			
15	(a) (i) 1' (ii) 70	75 )	1 1			
	<b>(b)</b> 2 point	ts plotted correctly ( $\pm 1$ mm).	1			
	(c) Positiv	7e	1			

© UCLES 2010

Page 4		Mark Scheme: Teachers' version			Syllabus	Paper	
	IGCSE – October/Novembe		er 2010	0580	12		
16	<ul> <li>6 (a) Rotation or enlargement 180° (SF) -1 (about or centre) origin oe</li> <li>(b) Correct translation</li> </ul>		1 1 1 2	Two transformations named, zero for (a) Independent Independent B1 for 5 right or 3 down applied			
17	<b>5</b> right <b>(a)</b> $\begin{pmatrix} -12 \\ -3 \end{pmatrix}$ <b>(b)</b> $\begin{pmatrix} -3 \\ 3 \end{pmatrix}$	and 3 down	2	<b>B1</b> for 1 component correct.			
	(b) $\begin{pmatrix} -3\\ 3 \end{pmatrix}$		1				
		fector <b>AB</b> drawn 34° to 136°	1 1	Diagonal line,	ignore working line	S	
18	(a) (i) 12	2.7 to 12.73	2	<b>M1</b> for $\frac{x}{18} = \sin 45$ or $\frac{x}{18} = \cos 45$ or better			
	<b>(ii)</b> 1	61 to 162.1	2ft	M1 for method	l for squaring their (	(a)(i).	
	<b>(b)</b> 254 to	255	2	<b>M1</b> for $\pi \times 9^2$			

© UCLES 2010